


Technical Specifications

Helios4 is the perfect recipe of high speed interfaces to build a real NAS.

The Marvell ARMADA® 388 is a robust energy-efficient System on Chip (SoC) with very powerful processing abilities especially suited for headless data processing, networking and storage. This Dual-core ARM Cortex-A9 CPU clocked at 1.6 Ghz integrates a Cryptographic and XOR DMA engines to provides the best level of performance for NAS functionality.

Helios4 is the only ARM based board on the market that offers 4x SATA 3.0 ports. This is the key feature that makes this platform the first single board computer specially designed for Network Attached Storage. Enjoy up to 48TB of storage (4x Disk of 12TB) while insuring enough throughput to share your data across your entire home or small office network.





Ha	ardware Specifications
CPU	
CPU Model	Marvell Armada 388 (88F6828) ARM Cortex-A9
CPU Architecture	ARMv7 32-bit
CPU Frequency	Dual Core 1.6 Ghz
Additional Features	 RAID Acceleration Engines Security Acceleration Engines Wake-on-LAN
Memory	
System Memory	2GB DDR3L ECC
HDD Interfaces	
SATA 3.0 Ports	4
Max Capacity	48 TB (12 TB HDD x 4)
External Interfaces	
RJ-45 1GbE LAN Port	1
USB 3.0	2
microSD (SDIO 3.0)	1
Developer Interfaces	
GPIO	12
12C	1
UART	1 (via onboard Micro-USB converter)
•	
Appareance	100
Board Dimension	100mm x 100mm
Board Weight	120gr
Casing Dimention (H x W x D)	182 mm x 107 mm x 210 mm
Casing Weight (without HDD) Casing Material	450gr Colored PMMA
Others	
Boot Mode Selector	- SPI - SD/eMMC - UART - SATA
SPI NOR Flash	32Mbit onboard
PWM FAN	2 (70 mm x 70 mm)
DC input	12V / 8A



Pictures







Software

Operating System: Linux Debian and Ubuntu Kernel Version: 4.4 or 4.13 U-Boot Version: 2013 or 2017 Software Partners:

Armbian - Debian and Ubuntu for ARM board.

OpenMediaVault - Linux NAS turn-key solution.

Syncloud - Cloud services at your premises.

